

Mark Scheme (Results)

March 2012

GCSE Mathematics (1380) Foundation Paper 2F (Calculator)

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications come from Pearson, the world's leading learning company. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information, please call our GCE line on 0844 576 0025, our GCSE team on 0844 576 0027, or visit our qualifications website at www.edexcel.com. For information about our BTEC qualifications, please call 0844 576 0026, or visit our website at www.btec.co.uk.

If you have any subject specific questions about this specification that require the help of a subject specialist, you may find our Ask The Expert email service helpful.

Ask The Expert can be accessed online at the following link:

http://www.edexcel.com/Aboutus/contact-us/

Alternatively, you can speak directly to the subject team at Pearson about Edexcel qualifications. Their contact details can be found on this link: www.edexcel.com/teachingservices

Pearson: helping people progress, everywhere

Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

March 2012
Publications Code UG031115
All the material in this publication is copyright
© Pearson Education Ltd 2012

NOTES ON MARKING PRINCIPLES

1 Types of mark

M marks: method marks A marks: accuracy marks

B marks: unconditional accuracy marks (independent of M marks)

2 Abbreviations

 $\begin{array}{ll} cao-correct \ answer \ only & ft-follow \ through \\ isw-ignore \ subsequent \ working & SC: \ special \ case \\ oe-or \ equivalent \ (and \ appropriate) & dep-dependent \\ \end{array}$

indep – independent

3 No working

If no working is shown then correct answers normally score full marks

If no working is shown then incorrect (even though nearly correct) answers score no marks.

4 With working

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

If working is crossed out and still legible, then it should be given any appropriate marks, as long as it has not been replaced by alternative work.

If it is clear from the working that the "correct" answer has been obtained from incorrect working, award 0 marks. Send the response to review, and discuss each of these situations with your Team Leader.

If there is no answer on the answer line then check the working for an obvious answer.

Any case of suspected misread loses A (and B) marks on that part, but can gain the M marks. Discuss each of these situations with your Team Leader

If there is a choice of methods shown, then no marks should be awarded, unless the answer on the answer line makes clear the method that has been used.

5 Follow through marks

Follow through marks which involve a single stage calculation can be awarded without working since you can check the answer yourself, but if ambiguous do not award.

Follow through marks which involve more than one stage of calculation can only be awarded on sight of the relevant working, even if it appears obvious that there is only one way you could get the answer given.

6 Ignoring subsequent work

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: e.g. incorrect canceling of a fraction that would otherwise be correct

It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect e.g. algebra.

Transcription errors occur when candidates present a correct answer in working, and write it incorrectly on the answer line; mark the correct answer.

7 Probability

Probability answers must be given a fractions, percentages or decimals. If a candidate gives a decimal equivalent to a probability, this should be written to at least 2 decimal places (unless tenths).

Incorrect notation should lose the accuracy marks, but be awarded any implied method marks.

If a probability answer is given on the answer line using both incorrect and correct notation, award the marks.

If a probability fraction is given then cancelled incorrectly, ignore the incorrectly cancelled answer.

8 Linear equations

Full marks can be gained if the solution alone is given on the answer line, or otherwise unambiguously indicated in working (without contradiction elsewhere). Where the correct solution only is shown substituted, but not identified as the solution, the accuracy mark is lost but any method marks can be awarded.

9 Parts of questions

Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded in another.

Money notation

Accepted with and without the "p" at the end.

11 Range of answers

Unless otherwise stated, when any answer is given as a range (e.g 3.5 - 4.2) then this is inclusive of the end points (e.g 3.5, 4.2) and includes all numbers within the range (e.g 4, 4.1).

Working			1380_2F							
working	Answer	Mark	Notes							
	Five thousand and seventy six	1	B1 ignore spellings							
	12 507	1	B1 accept mixture of digits and words for correct answer							
	73 000	1	B1 accept answer in words							
	700	1	B1 accept answer in words							
	8.5 cm	2	M1 for numerical answer in the range 8.3-8.7 or 83-87 (ignore incorrect units) or 8-9 with cm or 80-90 with mm A1 for answer 8.3-8.7 cm or 83-87 mm							
	Obtuse angle	1	B1 for obtuse, ignore spelling							
	145°	1	B1 for $145^{\circ} \pm 2^{\circ}$							
	Kilogram	1	B1 for kg or kilograms							
	Litres	1	B1 for litres or <i>l</i>							
	inches	1	B1 for inches							
		Five thousand and seventy six 12 507 73 000 700 8.5 cm Obtuse angle 145° Kilogram Litres	Five thousand and seventy six 1 12 507 1 73 000 1 700 1 8.5 cm 2 Obtuse angle 1 145° 1 Kilogram 1 Litres 1							

1380_2	F				
Que	stion	Working	Answer	Mark	Notes
4	(a)	Red 7 Blue 5 White 4 Grey 4	Correct frequencies	2	B2 for all frequencies correct (B1 for 2 tallies or 2 frequencies correct)
	(b)	Giey 4	Correct bars	2	B2 ft for all bar heights correct with or without gaps (B1 ft for 2 bar heights correct; also for completely correct bar-line graph or polygon.)
	(c)		Red	1	B1 ft
5	(a)		× near ½	1	B1 for cross near ½
	(b)		× at 0	1	B1 for cross at 0
	(c)		× near 1/4	1	B1 for cross near 1/4
6		$ \begin{array}{r} 17 - 5 &= 12 \\ 12 \div 2 &= \\ 2x + 5 &= 17 \\ 2x &= 17 - 5 \end{array} $	6	3	M1 17÷2 (=8.5) or 17 – 5 (=12) M1 for correct order of operations –5 then ÷ 2 A1 cao Alternative M1 for forming the equation 2x + 5 = 17 M1 for attempt to subtract 5 from both sides or divide both sides by 2 as the first step A1 cao NB For solutions involving trial and improvement award 3 marks (B3) for the correct answer of 6 but 0 marks for method; embedded solutions get 2 marks as long as the equation or working is complete.

1380_2	1380_2F							
Que	stion	Working	Answer	Mark	Notes			
7	(a)(i)		(4, 3)	1	B1 cao			
	(ii)		(-4, -2)	1	B1 cao			
	(b)		Correct cross at (-2, 3)	2	B2 for correctly placing the cross at $(-2, 3)$ (B1 for a cross at $(-2, y)$ or at $(x, 3)$			
8	(a)		A and C	2	B2 for both correct in either order (B1 for one correct)			
	(b)		B and D	2	B2 for both correct in either order (B1 for one correct)			
9		Examples: $7 \times 1 - 2 = 5$ (trial) $7 \times 3 - 2 = 19$ (trial) $7 \times 5 - 2 = 33$ (counter example)	Show rule breaks down	2	M1 for testing the rule for one odd number with a correct evaluation A1 for showing that the rule breaks down for 5 or 11 or any other counter example			

1380_2	F				
Que	stion	Working	Answer	Mark	Notes
10	(a)		4 <i>a</i>	1	B1 cao
	(b)		2a + 7b	2	B2 accept equivalents (B1 for 2a or 7b accept equivalents; ignore signs)
	(c)		4	1	B1 cao
	(d)		12	1	B1 cao
	(e)	$2t = 3 - 8$ $2t = -5$ $t = -5 \div 2$	-2.5	2	M1 for showing attempt to subtract 8 from both sides or divide both sides by 2 as the first step A1 for -2.5 accept $\frac{-5}{2}$ oe
11	(a)		12, 11	2	B1 for first number as 12 B1 for second number as 11
	(b)		41	2	M1 for $4n+1$ seen in (b) or $4\times10+1$ or attempt to count on from 21 with at least three 4's added correctly A1 cao
	(c)		4n + 1	2	M1 for $4n+k$ where $k\neq 1$ or is absent A1 for $4n+1$ NB: $n=4n+1$ B1

1380_2	1380_2F						
Que	stion	Working	Answer	Mark	Notes		
12		$2 \times 55 = £1.10$ $4 \times 28 = £1.12$ $1 \times £4.95$ Total = £7.17	£2.83	4	M1 for either 2×55 (=£1.10) or 4×28 (=£1.12) oe M1 for attempt to total for three different items M1 for attempt to take their total away from £10 with consistent units A1 cao		
					Alternative M1 for either 2 × 55 (=£1.10) or 4 × 28 (=£1.12) M1 for attempt to subtract one item from £10 M1 for attempt to subtract three different items from £10 with consistent units A1 cao SC B2 for £4.22		
13	(a)	2 × 6 + 2 × 4 12 + 8	20	2	M1 for 2 × 6 + 2 × 4 A1 for 20		
	(b)	$24 = 2 \times l + 2 \times 3$	9	2	M1 for substituting 24 and 3 into the formula or sight of 18 A1 for 9 Alternative M1 for $2l = P - 2w$ or sight of $24 - 2 \times 3$ A1 for 9		

1380_2	2F				
Que	stion	Working	Answer	Mark	Notes
14	(a)		London	1	B1 accept 7
	(b)		Aberdeen	1	B1 accept –9
	(c)		10	1	B1 accept -10
	(d)		Aberdeen and Dublin	1	B1 accept –9 and –5
15	(a)	6, 8, 12, 18, 19, 24	15	2	M1 for arranging in order or for answer of 12 or $\frac{12+18}{2} \text{ or } \frac{18+6}{2}$ A1 cao
	(b)	$(24 + 8 + 18 + 6 + 12 + 19) \div 6 = 87 \div 6 =$	14.5	2	M1 for adding the 6 numbers and dividing by 6 or sight of 87 ÷ 6 or 71.16 A1 oe
	(c)	$16 \times 7 = 112$ 112 - 87 or $(16-14.5)=1.5$ $1.5 \times 6+16=$	25	2	M1 ft for 16×7 – "87" or increases the 6 marks by $1\frac{1}{2}$ A1 for 25 or ft from (b)
16	(i)	360 – (140 + 90)	130	2	M1 for 360 – (140 + 90) A1 for 130
	(ii)		reason	1	B1 for <u>angles</u> at a <u>point</u> add to <u>360</u>

1380_2	1380_2F							
Que	stion	Working	Answer	Mark	Notes			
17		$250 \times \frac{4}{100} = £10$ $£10 \times 3$	£30	3	M2 for $\frac{250' \ 4' \ 3}{100}$ oe (M1 for $250 \times \frac{4}{100}$ oe or sight of 10) A1 for £30 cao SC B2 for £280			
18	(a)	350 × 1.34	469	2	M1 for 350 × 1.34 or digits 469 A1 cao			
	(b)	$67 \div 1.34 = 50$ 50 - 47.50 OR $47.50 \times 1.34 = 63.65$ 67 - 63.65 = 3.35 $3.35 \div 1.34 =$	2.50	3	M1 for 67 ÷ 1.34 or 50 seen M1 (dep) for "50" – 47.50 A1 for 2.5(0) OR M1 for 47.5(0) × 1.34 or 63.65 or 3.35 seen M1 (dep) for 67 – "63.65" (= 3.35) and "3.35" ÷ 1.34 A1 for 2.5(0)			
19	(a)		Correct reflection	2	M1 for a correct reflection in any line A1 for a correct reflection in the y axis			
	(b)		Correct enlargement	2	M1 for enlarging 2 adjacent sides correctly or correct enlargement using incorrect scale factor (≠1) A1 cao			
20	(a)		048°		B1 for correct bearing measured within tolerance of ±2°			
	(b)		Bearing drawn	2	B1 for correct bearing of 150° drawn tolerance of $\pm 2^{\circ}$ B1for correct distance of 6 cm ± 2 mm			

1380_2	2 F				
Que	stion	Working	Answer	Mark	Notes
21	(a)	$\frac{\sqrt{6.25 + 3.75}}{2.2}$	1.4373(98936)	3	B3 for 1.4373(98936) or 1.4374 (B2 for answer of $\frac{5\sqrt{10}}{11}$ or sight of $\sqrt{10}$ or 3.162
		$\frac{\sqrt{10}}{2.2}$			or 1.43 or 1.44 or 1.437)
	(b)	2.2	1.44	1	(B1 for sight of 2.2 or 10) B1 for 1.44 (or ft from part(a) provided (a) is given
	(0)		1.44		to at least 3 decimal places).
22		x = 3 gives 36 x = 4 gives 76 x = 3.1 gives 39.(091) x = 3.2 gives 42.(368) x = 3.3 gives 45.(837) x = 3.4 gives 49.(504) x = 3.5 gives 53.(375) x = 3.6 gives 57.(456) x = 3.7 gives 61.(753) x = 3.8 gives 66.(272) x = 3.9 gives 71.(019) x = 3.15 gives 40.7(05875) x = 3.16 gives 41.0(34496) x = 3.17 gives 41.3(65013) x = 3.18 gives 41.6(97432) x = 3.19 gives 42.0(31759)	3.2	4	B2 for trial $3.1 \le x \le 3.2$ (B1 for trial $3 \le x \le 4$) B1 for a different trial $3.15 \le x < 3.2$ B1 (dep on at least one previous B1) for 3.2 Accept trials correct to the nearest whole number (rounded or truncated) if the value of x is to 1 dp but to 1dp (rounded or truncated) if the value of x is to 2 dp NB: no working scores no marks, even if the answer is correct. All trials must be evaluated.

1380_2	1380_2F						
Que	stion	Working	Answer	Mark	Notes		
23		$16^2 - 8^2 = 192$ $\sqrt{192} = 13.85640646$	13.86	3	M1 for showing the intention to square and attempt to subtract or sight of $16^2 - 8^2$ or 192 M1 for $\sqrt{256 - 64}$ or $\sqrt{192}$ or $8\sqrt{3}$ A1 for answer in range 13.85 to 13.86		
24	(a)	1 - (0.15 + 0.25 + 0.20 + 0.16)	0.24	2	M1 for 1 – (0.15 + 0.25 + 0.20 + 0.16) or 1 – 0.76 A1 for 0.24 oe		
	(b)	300 × 0.25	75	2	M1 for 300 × 0.25 A1 cao		
25		$5 \times 2 = 10$ $15 \times 8 = 120$ $25 \times 9 = 225$ $35 \times 7 = 245$ $45 \times 4 = 180$ 780 $780 \div 30 = 26$	26	4	M1 for finding fx consistently within intervals including the end points (allow 1 error) M1 (dep) for use of all correct mid-interval values M1 (dep on first M1)for $\sum fx \div \sum f$ A1 cao		

Further copies of this publication are available from Edexcel Publications, Adamsway, Mansfield, Notts, NG18 4FN

Telephone 01623 467467
Fax 01623 450481
Email <u>publication.orders@edexcel.com</u>
Order Code UG031115 March 2012

For more information on Edexcel qualifications, please visit www.edexcel.com/quals

Pearson Education Limited. Registered company number 872828 with its registered office at Edinburgh Gate, Harlow, Essex CM20 2JE





